مہم برائے کینسر آگاہی: بچوں اور نوجوانوں میں کینسر کی ابتدائی علامات۔

(بچوں کا کینسر قابل علاج ہے)

"سلامتی"

س۔سوجن / گٹھلی

پیٹ اور کمر، سر اور گردن، بازو اور ٹانگوں ، خصیوں اور غدود میں سوجن یا گٹھلی۔

م- مسلسل درد

مسلسل علامات کی صورت میں فورا طبی مدد حاصل کریں۔ مسلسل جسم میں درد محسوس ہونا اور ہڈیوں کا آسانی سے ٹوٹ جانا۔

ل- لمبے عرصے سے بخار

لمبے عرصے (دو ہفتوں سے زیادہ) تک بخار رہنا، وزن میں کمی، چوٹ کے بغیر جسم پر نیل پڑ جانا۔

ت- توازن اور عصبی علامات



توازن، چلنے یا بولنے میں تبدیلیاں، پچھلی صلاحیتوں میں کمی، ایک ہفتے سے زیادہ سر درد (الٹی کے ساتھ یا بغیر)، سر کا بڑا ہونا۔

ا - آنکھ کی تبدیلیاں

آنکھوں میں تبدیلی کا نظر آنا۔ آنکھ میں سفید دھبہ، نیا ٹیڑھا پن، بینائی کی کمی، آنکھ کا ابھرنا۔

ی ۔ یرقان کی تبدیلیاں

یرقان اور جگر میں رسولی کا ظاہر ہونا، جلد کا پیلا پڑ جانا، تھکن اور کمزوری محسوس ہونا.

Organizer:

Professor Dr. Alia Ahmad
MBBS DCH MRCPCH FRCPCH (UK).
MS-Global Child Health (USA)
Prof. Dept. Haem/Oncology, UCHS and Children Hospital Lahore.

ریفرل پوائنٹ:

او-پی-ڈی کمرہ نمبر 149, پہلی منزل، بروز پیر تا ہفتہ، چلڈرن ہسپتال لاہور۔

Hotline Number for further info:0319-4126411

ASSESS
Medical history and physical examination

Assess the presence of one or more sign or symptoms. Immediately refer to pediatric ER or nearest health facility.

RED

Assess the presence of one or more sign or symptoms. Refer to hospital with a pediatric hematology-oncology unit within **48 to 72 hours**.

YELLOW

Assess the presence of one or more sign or symptoms. Conduct tests as necessary and refer to pediatric hematology-oncology

GREEN

Extracted from PAHO handbook.

CLASSIFY BY FINDING

IMMEDIATE CARE:

Intense headache at night.
New onset seizures.
Loss of strength.
Unexplained petechiae or uncontrollable bleeding.

PRIORITY CARE:

Painless, Hard, Enlarged lymph nodes.
Night sweats, Fever, weight loss.
Leukocoria.
Persistent or recurrent vomiting.
Changes in behavior and school performance deterioration.

SCHEDULED CARE:

Generalized lymphadenopathy/ swelling.
Limping or joint pain/ bone pain.
Unexplained abdominal pain and
Persistent constipation,
Fatigue and pallor.
Unexplained fever more than 10 days and recurrent infections.